

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 09/700,448 02/20/2001 SAMS:091

Allen Le Roy Limberg

03/24/2004 7590

Michael S Dowler Howrey Simon Arnold & White 750 Bering Drive Houston, TX 77057

EXAMINER NATNAEL, PAULOS M

ART UNIT PAPER NUMBER

2614

DATE MAILED: 03/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Summary	09/700,448	LIMBERG ET AL.	
	Examiner	Art Unit	
•	Paulos M. Natnael	2614	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).		mely filed /s will be considered timely. In the mailing date of this communication. ID (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 22 L	December 2003.		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims			
4) ☐ Claim(s) 1-54 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) 1-6 is/are allowed. 6) ☐ Claim(s) 7-54 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/s	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct to be a composed and the correct to be a correct to be	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat * See the attached detailed Office action for a list	ts have been received. Its have been received in Applicat Ority documents have been receive Bu (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:		

Art Unit: 2614

DETAILED ACTION

Claim Rejections - 35 USC § 101

- 1. 35 U.S.C. 101 reads as follows:
 - Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.
- 2. Claims **7-54** are again rejected under 35 U.S.C. 101 because the claims lack usefulness. The claimed invention is directed to non-statutory subject matter. Claims 7-54 are directed to a signal structure having no practical application and/or physical change.

Considering claim 7, the claim deals with a data signal structure of an electrical wave signal comprising vestigial sideband modulation of a suppressed carrier in accordance with a baseband signal having a uniform baud rate or symbol rate substantially 684 times the horizontal scan line rate of an NTSC television signal that is apt to accompany said electromagnetic wave signal as a co-channel interfering signal, said baseband signal composed of consecutive data segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a data frame header including a plurality N in number of contiguous ones of said data segments and concluding with a plurality (M-N) in number of said data

segments including consecutive multi-level symbols used for transmitting data, said data frame header in each said data frame including a first ghost-cancellation reference signal and a second ghost-cancellation reference signal beginning substantially 1368 symbol epochs later than said first ghost-cancellation reference signal, which said first and second ghost-cancellation reference signal exhibit respective variations that are complementary to each other.

Considering claim 24, the claim deals with a signal structure of an electromagnetic wave signal comprising vestigial sideband modulation of a suppressed carrier in accordance with a baseband signal having a uniform baud rate or symbol rate, said baseband signal composed of consecutive data segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a plurality N in number of said data segments used as a data frame header and concluding with a plurality (M-N) in number of said data segments that include consecutive multi-level symbols used for transmitting data, said data frame header in each said data frame including a respective ghost-cancellation reference signal that is composed of a plurality of PN sequences that are orthogonal to each other.

. Art Unit: 2614

Considering claims 26, the claim deals with a signal structure of an electromagnetic wave signal comprising vestigial sideband modulation of a suppressed carrier in accordance with a baseband signal having a uniform symbol rate, said baseband signal composed of consecutive data segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a data frame header including a plurality N in number of contiguous ones of said data segments and concluding with a plurality (M-N) in number of said data segments including consecutive multi-level symbols used for transmitting data, said data segments each beginning with a respective data segment synchronization code of a similar prescribed character, said data frame header in each said data frame including a respective ghost-cancellation reference signal that begins in one data segment of said data frame header and finishes in the next-occurring data segment of said data frame header, said respective data segment synchronization code for said next data segment of said data frame header being subsumed in said respective ghost-cancellation reference signal that finishes therein.

Considering claim **31**, the claim deals with a signal structure of a baseband digital signal having a uniform symbol rate substantially 684 times the horizontal scan line rate of an NTSC television signal that is apt to accompany said electromagnetic wave signal as a co-channel interfering signal, said baseband signal composed of consecutive data

. Art Unit: 2614

segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a plurality N in number of said data segments used as a data frame header and concluding with a plurality (M-N) in number of said data segments composed of consecutive multi-level symbols used for transmitting data, said data frame header in each said data frame including a first ghost cancellation reference signal and a second ghost-cancellation reference signal beginning substantially 1368 symbol epochs later than said first ghost-cancellation reference signal, which said first and second ghost-cancellation reference signal exhibit respective variations that are complementary to each other.

Considering claim 48, the claim deals with a signal structure of a baseband signal having a uniform symbol rate, said baseband signal composed of consecutive data segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a data frame header including a plurality N in number of contiguous ones of said data segments and concluding with a plurality (M-N) in number of said data segments including consecutive multi-level symbols used for transmitting data, said data frame header in each said data frame including a respective

- Art Unit: 2614

ghost-cancellation reference signal that is composed of a plurality of PN sequences that are orthogonal to, each other.

Considering claim 50, the claim deals with a signal structure of a baseband signal having a uniform symbol rate, said baseband signal composed of consecutive data segments each consisting of a prescribed integral number of symbol epochs, said consecutive data segments being divided into contiguous data frames each consisting of a prescribed integral number M of contiguous ones of said data segments, each said data frame characterized by beginning with a data frame header including a plurality N in number of contiguous ones of said data segments and concluding with a plurality (M-N) in number of said data segments including consecutive multi-level symbols used for transmitting data, said data segments each beginning with a respective data segment synchronization code of a similar prescribed character, said data frame header in each said data frame including a respective ghost-cancellation reference signal that begins in one data segment of said data frame header and finishes in the next occurring data segment of said data frame header, said respective data segment synchronization code for said next data segment of said data frame header being subsumed in said respective ghost-cancellation reference signal that finishes therein.

Thus, Claims **7-54** state a signal or data structure.

When analyzing a data structure or mathematical calculation claims, the claim will initially be classified as non-statutory if any of the following three conditions are met:

statutory or non-statutory product or process.

- Art Unit: 2614

1) the claim recites functional descriptive material (such as data structure per se or computer program per se), 2) the claim can be non-functional Descriptive Material such as music, literary works, mere data per se, or on a computer readable medium, or 3) the claim can be a Natural Phenomenon such as energy or magnetism. If none of the three are applicable then further analysis is necessary to classify the claim as either a

Claims **7-54** do not claim any natural phenomenon such as a form of energy or magnetism. Nor do they claim non-Functional Descriptive Materials. But, claims **7-54** fall in the category of Functional Descriptive Material as in number one above. That is, the data signal structure as given in the claims are mere compilations of data which may have some intended uses, but lack any interrelation between themselves or the claimed system as a whole.

Therefore, when the claims **7-54** are taken as a whole, they are directed to a data structure, and thus are non-statutory.

Response to Arguments

3. Applicant's arguments filed December 22, 2003 have been fully considered but they are not persuasive.

Page 7

· Art Unit: 2614

Applicant's Argument's

With respect to the Examiner's contention that claims 7-54 lack utility, Applicants traverse the rejection because each of the rejected claims is clearly directed to digital television signal as recited unambiguously in the very first sentence of the specification. Because such signals clearly have a specific and substantial utility –the transmission of video image free of distortion or "ghosts" the rejection under 101 on utility grounds is improper....in view of the expansive scope of patentable subject matter under 101 as construed by the Supreme Court and the Federal Circuit, Applicants submit that claims 7-54 as presented constitute patentable subject matter and respectfully request that the 101 rejection be withdrawn.

Examiner's Response

The rejection based on 101 clearly shows that the rejection was made not because the claims are directed to "natural phenomena" or because they claim non-functional descriptive materials. The claims do not recite a device or an apparatus that performs the functions described. Claims that recite nothing but the physical characteristics of a form of energy, such as a frequency, voltage, or the strength of a magnetic field, define energy or magnetism, per se, are nonstatutory natural phenomena. O'Reilly v. Morse, 56 U.S. (15 How.) 62. 112-14 (1853). However, a signal claim directed to a practical application of electromagnetic energy is statutory regardless of this transitory nature. See O'Reilly, 56 U.S. at 114-19; In re Breslow, 616 F.2d 516, 519-21, 205 USPQ 221, 225-26 (CCPA 1980). Also note MPEP 2106 Part IV B 1(c). As shown in the rejection,

Art Unit: 2614

claims **7-54** do not claim any natural phenomenon such as a form of energy or magnetism. Nor do they claim non-Functional Descriptive Materials. But, claims 7-54 fall in the category of Functional Descriptive Material. That is, the data signal structure as given in the claims are mere compilations of data which may have some intended uses, but lack any interrelation between themselves or the claimed system as a whole. Therefore, when the claims **7-54** are taken as a whole, they are directed to a data structure, and thus are non-statutory. Hence, the argument that the claims are directed to digital television signal as recited in the very first sentence in the specification or that the claims are not directed towards a "natural phenomena", is not persuasive.

Allowable Subject Matter

- 4. Claims **1-6** are allowable over the prior art.
- 5. The following is a statement of reasons for the indication of allowable subject matter: the prior art fails to disclose a data signal receiver for an electromagnetic wave signal including a pilot carrier and vestigial sideband modulation of a suppressed carrier of the same frequency and phase as said pilot carrier, said vestigial sideband modulation being in accordance with a baseband signal having a uniform symbol rate substantially 684 times the horizontal scan line rate of an NTSC television signal that is apt to accompany said electromagnetic wave signal as a co-channel interfering signal, said data signal receiver comprising:

Page 9

- Art Unit: 2614

circuitry for selecting said electromagnetic wave signal, converting the frequencies of said electromagnetic wave signal after its selection, and amplifying said electromagnetic wave signal after its selection and conversion in frequency; circuitry for synchrodyning said electromagnetic wave signal to baseband after its selection, conversion in frequency and amplification and supplying digitized samples of a baseband signal resulting from synchrodyning said electromagnetic wave signal to baseband;

an adaptive equalizer for receiving said samples of a baseband signal resulting from synchrodyning said electromagnetic wave signal to baseband, and supplying an equalizer response to those received samples as weighted by kernel weights that are electrically adjustable;

circuitry for regenerating transmitted data from said equalizer response;

a comb filter for differentially delaying said equalizer response, so said first ghost cancellation reference signal in the more delayed equalizer response occurs simultaneously with said second ghost-cancellation reference signal in the less delayed equalizer response, and subtractively combining said more delayed equalizer response and said less delayed equalizer response to generate a comb filter response;

a computer responsive to selected portions of said comb filter response including the result of subtractively combining said first and second ghost-cancellation reference signals, for performing initial electrical adjustments of the kernel weights of said adaptive equalizer whenever said data signal receiver is initially operated after a time of

- Art Unit: 2614

inoperation or whenever said electromagnetic wave signal is initially selected, as in claim 1.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paulos M. Natnael whose telephone number is (703) 305-0019. The examiner can normally be reached on 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on (703) 305-4795. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2614

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 19, 2004 PMN